



RAE Systems, Inc.
1339 Moffett Park Dr.
Sunnyvale, CA 94089 USA

Telephone 408-752-0723
Tube Orders 1-888-723-8823
Web www.raesystems.com

Gas Detection Tube Data Sheet

Phenol C₆H₅OH No. 10-139-05

	Extended Range	Standard Range	Extended Range	Extended Range
Range (ppmv)	0.5 - 11	1 - 25	2.4 - 60	7 - 180
No. of Pump Strokes	4	2	1	0.5
Sample Volume (mL)	400	200	100	50
Sample Time (min)	4 x 1.5	2 x 1.5	1.5	1.0
Correction Factor	0.45	1	2.4	7.2


Precision (Relative Standard Deviation)*: $\leq \pm 20\%$

Linearity with No. of Pump Strokes: $r^2 = 0.996$

Humidity:

% Relative Humidity	10%	30%	50%	90%
Correction Factor	1.0	1.25	1.6	1.8

Temperature Range:



Storage Life: 1.5 years in darkness at 5-25°C (40-77°F). Refrigeration preferred.

Color Change: Pale Yellow → Gray

Reaction Principle: $C_6H_5OH + Ce(NH_4)_2(NO_3)_6 \rightarrow$ Cerium-Phenol complex

Caution: Dispose of spent or expired tubes according to local regulations.
Possibly hazardous materials are given under the section Reaction Principle.



RAE Systems, Inc.
1339 Moffett Park Dr.
Sunnyvale, CA 94089 USA

Telephone 408-752-0723
Tube Orders 1-888-723-8823
Web www.raesystems.com

<u>Cross-sensitivity:</u> Substance	Concentration (ppmv)	Apparent Reading*
H ₂ S	100	0
NH ₃	500	0
NO	400	0
NO ₂	400	0
SO ₂	200	0
CH ₄	25000	0
CO ₂	5000	0
CO	500	0
HCHO	500	0
Acetone	2000	0
Isopropanol	2000	0
Benzene	2000	0
Toluene	2000	0
Styrene	2000	0
n-Hexane	2000	0
Isobutylene	100	0

*Data based on RAE pumps and tubes used in standard range.

Caution: Dispose of spent or expired tubes according to local regulations.
Possibly hazardous materials are given under the section Reaction Principle.